Index of 1998 Articles

This index of articles is divided into two parts. The first part lists articles by topic in this format: *title; author(s); issue number: initial page number*. In this listing, (CE) indicates a continuing education feature, (P) indicates a Perspectives article, (CI) indicates a Current Issues article, and (WV) indicates a World View article. The second part of the index lists each author and the corresponding issue and initial page number of his or her article.

Alphabetical Listing by Topic

Accessibility issues

Barriers to access: Frustrations of people who use a wheelchair for full-time mobility (CE); Pierce, L.L.; 3:120

The rehab café and breakfast buffet (P); Weeks, S.K., Feuer, T.E.; 1:46

Amputation

Patients as peer preceptors for orthopedic oncology rehabilitation patients (CE); Smith, C.E., Haynes, K., Rebeck, S.L., Murdock, B.H., King, N., Kleinbeck, S.V.M., Werkowitch, M., Rosenthal, H.G.; 2:78

Assessment

Identifying the attentional demands perceived by elderly people (CE); Jansen, D.A., Keller, M.L.; 1:12

The Nursing Outcomes Classification: Validation by rehabilitation nurses; Scherb, C.A., Rapp, C.G., Johnson, M., Maas, M.; 4:174

Predictors of functional ability in geriatric rehabilitation patients; Resnick, B., Daly, M.P.; 1:21

Use of the Apathy Evaluation Scale as a measure of motivation in elderly people; Resnick, B., Zimmerman, S.I., Magaziner, J., Adelman, A.; 3:141

Using the Levels of Cognitive Functioning Assessment Scale with patients with traumatic brain injury in an acute care setting; Flannery, J.; 2:88

The utility of external performance measurement tools in program evaluation (CE); Harmon, R.L., Sheehy, L.M., Davis, D.M.; 1:8

Bladder and bowel management

A comparison of the characteristics of incontinent and continent stroke patients in a rehabilitation program; Gross, J.C., 3:132

Urogenital distress and the psychosocial impact of urinary incontinence on elderly women; Gallagher, M.S.; 4:192

Brain injury/head injury

It could have been me (P); Navaroli, L.M.; 3:160

Prejudiced? Me?: Learning lessons from a challenging patient (P); Frye, A.D.; 6: 318

The relationship between caregiver burden and TBI survivors' cognition and functional ability after discharge; Smith, A.M., Schwirian, P.M.; 5:252

Touch-screen computerized education for patients with brain injuries; Patyk, M., Gaynor, S., Kelly, J., Ott, V.; 2:84

Using the Levels of Cognitive Functioning Assessment Scale with patients with traumatic brain injury in an acute care setting; Flannery, J.; 2:88

Cardiac rehabilitation

An analysis of patients' psychosocial adjustment and values before and after coronary artery surgery (CE); Flanagan, N.A.; 5:234

Cardiac rehabilitation referral and attendance: Not one and the same (CE); King, K.M., Teo, K.K.; 5:246

Perspectives of nurses and patients on the need for sexual counseling of MI patients (CE); Steinke, E.E., Patterson-Midgley, P.E.; 2:64

The psychosocial and physiological experiences of patients with an implantable cardioverter defibrillator (CE); Schuster, P.M., Phillips, S., Dillon, D.L., Tomich, P.L.; 1:30

Relationships between adherence, sense of coherence, and knowledge in cardiac rehabilitation; Kamwendo, K., Hansson, M., Hjerpe, I.; 5:240

Case management

An interdisciplinary home healthcare program for patients with Parkinson's disease (CE); Vickers, L.F., O'Neill, C.M.; 6:286

Using nurse case management to promote self-efficacy in individuals with rheumatoid arthritis (CE); Barry, J., McQuade, C., Livingstone, T.; 6:300

Chronic illness

Chronic toxic encephalopathy: Social consequences and experiences from a rehabilitation program; Åbjörnsson, G., Ørbæk, P., Hagstadius, S.; 1:38

The effects of education alone and in combination with pulmonary rehabilitation on self-efficacy in patients with COPD (CE); Scherer, Y.K., Schmieder, L.E., Shimmel, S.; 2:71

An interdisciplinary home healthcare program for patients with Parkinson's disease (CE); Vickers, L.F., O'Neill, C.M.; 6:286

Myelodysplasia in adult life: The value of an outreach nursing service; Goodger, J., Kulas, J., Carney, A., Dewan, P., Kosmala, E., Simpson, D.A.; 4:185

The psychosocial and physiological experiences of patients with an implantable cardioverter defibrillator (CE); Schuster, P.M., Phillips, S., Dillon, D.L., Tomich, P.L.; 1:30

Selection of an instrument to measure the physical activity of elderly people in rural areas; Allison, M.J., Keller, C., Hutchinson, P.L.; 6:309

Using nurse case management to promote self-efficacy in individuals with rheumatoid arthritis (CE); Barry, J., McQuade, C., Livingstone, T.; 6:300

Coping

An analysis of patients' psychosocial adjustment and values before and after coronary artery surgery (CE); Flanagan, N.A.; 5:234

Barriers to access: Frustrations of people who use a wheelchair for full-time mobility (CE); Pierce, L.L.; 3:120

Life after a stroke: Coping with change (CE); Sisson, R.A.; 4:198

Patients as peer preceptors for orthopedic oncology rehabilitation patients (CE); Smith, C.E., Haynes, K., Rebeck, S.L., Murdock, B.H., King, N., Kleinbeck, S.V.M., Werkowitch, M., Rosenthal, H.G.; 2:78

The psychosocial and physiological experiences of patients with an implantable cardioverter defibrillator (CE); Schuster, P.M., Phillips, S., Dillon, D.L., Tomich, P.L.; 1:30

The relationship between caregiver burden and self-care deficits in former rehabilitation patients (CE); Watson, R., Modeste, N.N., Catolico, O., Crouch, M.; 5:258

The relationship between caregiver burden and TBI survivors' cognition and functional ability after discharge; Smith, A.M., Schwirian, P.M.; 5:252

Transition theory and its relevance to patients with chronic wounds; Neil, J.A., Barrell, L.M.; 6:295

Urogenital distress and the psychosocial impact of urinary incontinence on elderly women; Gallagher, M.S.; 4:192

Use of the Apathy Evaluation Scale as a measure of motivation in elderly people; Resnick, B., Zimmerman, S.I., Magaziner, J., Adelman, A.; 3:141

Using nurse case management to promote self-efficacy in individuals with rheumatoid arthritis (CE); Barry, J., McQuade, C., Livingstone, T.; 6:300

Creative rehabilitation nursing strategies

Effectiveness of a nurse-managed follow-up program for rehabilitation patients after discharge (CE); Rawl, S.M., Easton, K.L., Kwiatkowski, S., Zemen, D., Burczyk, B.; 4:204

An interdisciplinary home healthcare program for patients with Parkinson's disease (CE); Vickers, L.F., O'Neill, C.M.; 6:286

Myelodysplasia in adult life: The value of an outreach nursing service; Goodger, J., Kulas, J., Carney, A., Dewan, P., Kosmala, E., Simpson, D.A.; 4:185

Patients as peer preceptors for orthopedic oncology rehabilitation patients (CE); Smith, C.E., Haynes, K., Rebeck, S.L., Murdock, B.H., King, N., Kleinbeck, S.V.M., Werkowitch, M., Rosenthal, H.G.; 2:78

The rehab café and breakfast buffet (P); Weeks, S.K., Feuer, T.E.; 1:46

Touch-screen computerized education for patients with brain injuries; Patyk, M., Gaynor, S., Kelly, J., Ott, V.; 2:84

Transition theory and its relevance to patients with chronic wounds; Neil, J.A., Barrell, L.M.; 6:295

Viewing rehabilitation nursing like a 'magic eye' picture: Clinical supervision can sharpen the focus; Anderson, D., Dorsay, J.P.; 6:305

Cultural issues

Sociodemographic differences among members of two ethnic groups in a geriatric rehabilitation unit in Israel; Nir, Z., Galinsky, D.; 3:148

Treatment of spinal cord injury in Ireland (WV); Hearty, E.A.; 1:44

Ethical issues

Ethical conflicts reported by Certified Registered Rehabilitation Nurses (CE); Redman, B.K., Fry, S.T.; 4:179

Family caregiving and relationships

The relationship between caregiver burden and TBI survivors' cognition and functional ability after discharge; Smith, A.M., Schwirian, P.M.; 5:252

Index of 1998 Articles

Sociodemographic differences among members of two ethnic groups in a geriatric rehabilitation unit in Israel; Nir, Z., Galinsky, D.; 3:148

Functional status
Chronic toxic encephalopathy: Social consequences and experiences from a rehabilitation program; Åbjörnsson, G., Ørbæk, P., Hagstadius, S.; 1:38
A comparison of the characteristics of incontinent and continent stroke patients in a rehabilitation program; Gross, J.C., 3:132
Identifying the attentional demands perceived by elderly people (CE); Jansen, D.A., Mary L. Keller; 1: 12
Predictors of functional ability in geriatric rehabilitation patients; Resnick, B., Daly, M.P.; 1:21
The relationship between caregiver burden and TBI survivors' cognition and functional ability after discharge; Smith, A.M., Schwirian, P.M.; 5:252

Guillian Barré syndrome
Miracles do happen (P); Anderson, L.; 5:269

Geriatric rehabilitation
Emma's choice (P); Roche, N.; 2:98
Identifying the attentional demands perceived by elderly people (CE); Jansen, D.A., Keller, M.L.; 1: 12
Predictors of functional ability in geriatric rehabilitation patients; Resnick, B., Daly, M.P.; 1:21
The role of the rehabilitation nurse in home care: A case study (P); Cogswell, D.; 2:95
Selection of an instrument to measure the physical activity of elderly people in rural areas; Allison, M.J., Keller, C., Hutchinson, P.L.; 6:309
Sociodemographic differences among members of two ethnic groups in a geriatric rehabilitation unit in Israel; Nir, Z., Galinsky, D.; 3:148
Urogenital distress and the psychosocial impact of urinary incontinence on elderly women; Gallagher, M.S.; 4:192
Use of the Apathy Evaluation Scale as a measure of motivation in elderly people; Resnick, B., Zimmerman, S.I., Magaziner, J., Adelman, A.; 3:141

Head injury (*see* Brain injury/head injury)

Health maintenance; health promotion (*see* Wellness issues)

Home care
An interdisciplinary home healthcare program for patients with Parkinson's disease (CE); Vickers, L.F., O'Neill, C.M.; 6:286
The role of the rehabilitation nurse in home care: A case study (P); Cogswell, D.; 2:95
Using nurse case management to promote self-efficacy in individuals with rheumatoid arthritis (CE); Barry, J., McQuade, C., Livingstone, T.; 6:300

Incontinence (*see* Bladder and bowel management)

Interdisciplinary team issues
Attitudes toward people with disabilities: A comparison of rehabilitation nurses, occupational therapists, and physical therapists (CE); White, M.J., Olson, R.S.; 3:126
An interdisciplinary home healthcare program for patients with Parkinson's disease (CE); Vickers, L.F., O'Neill, C.M.; 6:286
Successful ventilator weaning: A collaborative effort (P); Rogers, S., Ryan, M., Slepoy, L.; 5:265
Team-building interventions for interdisciplinary teams: A case study of a pediatric client (CE); Sandor, M.K., Copeland, D., Robinson, S.; 6:290
Using nurse case management to promote self-efficacy in individuals with rheumatoid arthritis (CE); Barry, J., McQuade, C., Livingstone, T.; 6:300

International rehabilitation nursing
Myelodysplasia in adult life: The value of an outreach nursing service; Goodger, J., Kulas, J., Carney, A., Dewan, P., Kosmala, E., Simpson, D.A.; 4:185
Relationships between adherence, sense of coherence, and knowledge in cardiac rehabilitation; Kamwendo, K., Hansson, M., Hjerpe, I.; 5:240
Sociodemographic differences among members of two ethnic groups in a geriatric rehabilitation unit in Israel; Nir, Z., Galinsky, D.; 3:148
Treatment of spinal cord injury in Ireland (WV); Hearty, E.A.; 1:44

Neurological impairment
Chronic toxic encephalopathy: Social consequences and experiences from a rehabilitation program; Åbjörnsson, G., Ørbæk, P., Hagstadius, S.; 1:38

Nursing certification and licensure
Certification for advanced practice nurses (CI); Mumma, C.; 3:157
Nursing licensure: National trends and changes (CI); Craven, G.A.; 6:315

Nursing practice and management
Attitudes toward people with disabilities: A comparison of rehabilitation nurses, occupational therapists, and physical therapists (CE); White, M.J., Olson, R.S.; 3:126
The Balanced Budget Act of 1997: How the prospective payment system affects providers of rehabilitation services (CI); Hartmann, J.; 5:263
The Balanced Budget Act of 1997: Implications for rehabilitation nurses in skilled nursing facilities (CI); Duchene, P.A.; 4:210
Certification for advanced practice nurses (CI); Mumma, C.; 3:157
Effectiveness of a nurse-managed follow-up program for rehabilitation patients after discharge (CE); Rawl, S.M., Easton, K.L., Kwiatkowski, S., Zemen, D., Burczyk, B.; 4:204
The effects of education alone and in combination with pulmonary rehabilitation on self-efficacy in patients with COPD (CE); Scherer, Y.K., Schmieder, L.E., Shimmel, S.; 2:71
Ethical conflicts reported by Certified Registered Rehabilitation Nurses (CE); Redman, B.K., Fry, S.T.; 4:179
An interdisciplinary home healthcare program for patients with Parkinson's disease (CE); Vickers, L.F., O'Neill, C.M.; 6:286
Myelodysplasia in adult life: The value of an outreach nursing service; Goodger, J., Kulas, J., Carney, A., Dewan, P., Kosmala, E., Simpson, D.A.; 4:185
Nursing licensure: National trends and changes (CI); Craven, G.A.; 6:315
The Nursing Outcomes Classification: Validation by rehabilitation nurses; Scherb, C.A., Rapp, C.G., Johnson, M., Maas, M.; 4:174
Patients as peer preceptors for orthopedic oncology rehabilitation patients (CE); Smith, C.E., Haynes, K., Rebeck, S.L., Murdock, B.H., King, N., Kleinbeck, S.V.M., Werkowitch, M., Rosenthal, H.G.; 2:78
The rehab café and breakfast buffet (P); Weeks, S.K., Feuer, T.E.; 1:46
Selection of an instrument to measure the physical activity of elderly people in rural areas; Allison, M.J., Keller, C., Hutchinson, P.L.; 6:309
Successful ventilator weaning: A collaborative effort (P); Rogers, S., Ryan, M., Slepoy, L.; 5:265
Team-building interventions for interdisciplinary teams: A case study of a pediatric client (CE); Sandor, M.K., Copeland, D., Robinson, S.; 6:290
Touch-screen computerized education for patients with brain injuries; Patyk, M., Gaynor, S., Kelly, J., Ott, V.; 2:84
Using the Levels of Cognitive Functioning Assessment Scale with patients with traumatic brain injury in an acute care setting; Flannery, J.; 2:88
Using nurse case management to promote self-efficacy in individuals with rheumatoid arthritis (CE); Barry, J., McQuade, C., Livingstone, T.; 6:300
Viewing rehabilitation nursing like a 'magic eye' picture: Clinical supervision can sharpen the focus; Anderson, D., Dorsay, J.P.; 6:305

Nutrition
The rehab café and breakfast buffet (P); Weeks, S.K., Feuer, T.E.; 1:46

Oncology rehabilitation
Emma's choice (P); Roche, N.; 2:98
Patients as peer preceptors for orthopedic oncology rehabilitation patients (CE); Smith, C.E., Haynes, K., Rebeck, S.L., Murdock, B.H., King, N., Kleinbeck, S.V.M., Werkowitch, M., Rosenthal, H.G.; 2:78

Orthopedic conditions
Patients as peer preceptors for orthopedic oncology rehabilitation patients (CE); Smith, C.E., Haynes, K., Rebeck, S.L., Murdock, B.H., King, N., Kleinbeck, S.V.M., Werkowitch, M., Rosenthal, H.G.; 2:78
Predictors of functional ability in geriatric rehabilitation patients; Resnick, B., Daly, M.P.; 1:21

Outcomes research
Effectiveness of a nurse-managed follow-up program for rehabilitation patients after discharge (CE); Rawl, S.M., Easton, K.L., Kwiatkowski, S., Zemen, D., Burczyk, B.; 4:204
The Nursing Outcomes Classification: Validation by rehabilitation nurses; Scherb, C.A., Rapp, C.G., Johnson, M., Maas, M.; 4:174
The relationship between caregiver burden and self-care deficits in former rehabilitation patients (CE); Watson, R., Modeste, N.N., Catolico, O., Crouch, M.; 5:258
The relationship between caregiver burden and TBI survivors' cognition and functional ability after discharge; Smith, A.M., Schwirian, P.M.; 5:252
Relationships between adherence, sense of coherence, and knowledge in cardiac rehabilitation; Kamwendo, K., Hansson, M., Hjerpe, I.; 5:240

Pain
One man's success (P); Jones, G.; 4:212

Parkinson's disease
An interdisciplinary home healthcare program for patients with Parkinson's disease (CE); Vickers, L.F., O'Neill, C.M.; 6:286
The role of the rehabilitation nurse in home care: A case study (P); Cogswell, D.; 2:95

Patient and family education
Chronic toxic encephalopathy: Social consequences and experiences from a rehabilitation program; Åbjörnsson, G., Ørbæk, P., Hagstadius, S.; 1:38
The effects of education alone and in combination with pulmonary rehabilitation on self-efficacy in patients with COPD (CE); Scherer, Y.K., Schmieder, L.E., Shimmel, S.; 2:71
Myelodysplasia in adult life: The value of an outreach nursing service; Goodger, J., Kulas, J., Carney, A., Dewan, P., Kosmala, E., Simpson, D.A.; 4:185
Patients as peer preceptors for orthopedic oncology rehabilitation patients (CE); Smith, C.E., Haynes, K., Rebeck, S.L., Murdock, B.H., King, N., Kleinbeck, S.V.M., Werkowitch, M., Rosenthal, H.G.; 2:78
Perspectives of nurses and patients on the need for sexual counseling of MI patients (CE); Steinke, E.E., Patterson-Midgley, P.E.; 2:64
Relationships between adherence, sense of coherence, and knowledge in cardiac rehabilitation; Kamwendo, K., Hansson, M., Hjerpe, I.; 5:240
Touch-screen computerized education for patients with brain injuries; Patyk, M., Gaynor, S., Kelly, J., Ott, V.; 2:84

Pediatric rehabilitation
Deep within your soul (P); Anderson, S.G.; 3:159
Growth and development in a rehabilitation setting (P); Ideen, C.; 4:213
Silly songs (P); Hewat, S.; 2:97
Team-building interventions for interdisciplinary teams: A case study of a pediatric client (CE); Sandor, M.K., Copeland, D., Robinson, S.; 6:290

Perspectives
Deep within your soul (P); Anderson, S.G.; 3:159
Emma's choice (P); Roche, N.; 2:98
Growth and development in a rehabilitation setting (P); Ideen, C.; 4:213
It could have been me (P); Navaroli, L.M.; 3:160
Miracles do happen (P); Anderson, L.; 5:269
One man's success (P); Jones, G.; 4:212
Prejudiced? Me?: Learning lessons from a challenging patient (P); Frye, A.D.; 6: 318
The rehab café and breakfast buffet (P); Weeks, S.K., Feuer, T.E.; 1:46
The role of the rehabilitation nurse in home care: A case study (P); Cogswell, D.; 2:95
Silly songs (P); Hewat, S.; 2:97
Successful ventilator weaning: A collaborative effort (P); Rogers, S., Ryan, M., Slepoy, L.; 5:265

Psychosocial issues in rehabilitation
An analysis of patients' psychosocial adjustment and values before and after coronary artery surgery (CE); Flanagan, N.A.; 5:234
Attitudes toward people with disabilities: A comparison of rehabilitation nurses, occupational therapists, and physical therapists (CE); White, M.J., Olson, R.S.; 3:126
Cardiac rehabilitation referral and attendance: Not one and the same (CE); King, K.M., Teo, K.K.; 5:246
Chronic toxic encephalopathy: Social consequences and experiences from a rehabilitation program; Åbjörnsson, G., Ørbæk, P., Hagstadius, S.; 1:38
Effectiveness of a nurse-managed follow-up program for rehabilitation patients after discharge (CE); Rawl, S.M., Easton, K.L., Kwiatkowski, S., Zemen, D., Burczyk, B.; 4:204
Life after a stroke: Coping with change (CE); Sisson, R.A.; 4:198

Nursing Professionals

Supercharge your Income as a Certified Disability Consultant!

Represent others applying for disability benefits. A lucrative and rewarding field.

Work from home
Full or part time
No experience needed
Earn up to $4000 per case
Low start-up cost
No fees or royalties
Available in all states
Free customer referrals
Travel and more ....

For Free Special Report and info on complete training, marketing and support, visit us at:

www.ssaconsultants.com
or call: **303-766-1111**
Disability Associates, Inc.

NURSE MANAGER
-Savannah, GA-

***RehabCare Group,** a national leader in the delivery of rehabilitation services, is seeking a self-motivated, enthusiastic RN to to join our acute care and skilled nursing unit at St. Joseph's Candler Health System.*

Position requires licensed/eligible RN with strong leadership and clinical skills. Responsibilities include management of the nursing staff for our adult inpatient rehab program and skilled nursing programs over four units in two hospitals. Strong organizational, communication and interpersonal skills essential. BSN required; Master's Degree and CRRN preferred.

We offer a highly competitive salary and outstanding benefits package. For more information, please call or send resume to: **Amy Schisler, RehabCare Group, 7733 Forsyth Blvd., Suite 1700, St. Louis, MO 63105. 1-800-677-1238, ext. 277. FAX (314)863-7751.**

RehabCare Group

Equal Opportunity Employer

Care is now close to home

Improving Health Through Comprehensive Rehabilitation in Your Community

BRAIN INJURY RECOVERY CENTER
Neuropsychology, Physiatry, OT, PT, ST, Care Management, Vocational Assistance
(757) 873-1569

CLINICAL FITNESS CENTER
On-site and clinical based Work Hardening & Conditioning, FCE's, EMG's, OT, PT, Physiatry
(757) 594-2699

WELLNESS & CLINICAL FITNESS CENTER – WMBG.
PT, Physiatry, Cardiac & Pulmonary Rehab, Fitness Center, Wellness Education
(757) 258-9465

HILTON PHYSICAL THERAPY
(757) 594-4878

SMITHFIELD PHYSICAL THERAPY
(757) 365-0148

GLOUCESTER PHYSICAL THERAPY
(804) 642-5601

WILLOW OAKS PHYSICAL THERAPY
PT, Hydro-rehabilitation
(757) 851-1078

CLINICAL FITNESS CENTER – TAPPAHANNOCK
(804) 443-0305

RIVERSIDE
THERAPY SERVICES

Index of 1998 Articles

Perspectives of nurses and patients on the need for sexual counseling of MI patients (CE); Steinke, E.E., Patterson-Midgley, P.E.; 2:64
The psychosocial and physiological experiences of patients with an implantable cardioverter defibrillator (CE); Schuster, P.M., Phillips, S., Dillon, D.L., Tomich, P.L.; 1:30
The relationship between caregiver burden and self-care deficits in former rehabilitation patients (CE); Watson, R., Modeste, N.N., Catolico, O., Crouch, M.; 5:258
Sociodemographic differences among members of two ethnic groups in a geriatric rehabilitation unit in Israel; Nir, Z., Galinsky, D.; 3:148
Transition theory and its relevance to patients with chronic wounds; Neil, J.A., Barrell, L.M.; 6:295
Urogenital distress and the psychosocial impact of urinary incontinence on elderly women; Gallagher, M.S.; 4:192
Use of the Apathy Evaluation Scale as a measure of motivation in elderly people; Resnick, B., Zimmerman, S.I., Magaziner, J., Adelman, A.; 3:141

Program development and evaluation
Successful ventilator weaning: A collaborative effort (P); Rogers, S., Ryan, M., Slepoy, L.; 5:265
The utility of external performance measurement tools in program evaluation (CE); Harmon, R.L., Sheehy, L.M., Davis, D.M.; 1:8

Pulmonary rehabilitation
The effects of education alone and in combination with pulmonary rehabilitation on self-efficacy in patients with COPD (CE); Scherer, Y.K., Schmieder, L.E., Shimmel, S.; 2:71
Successful ventilator weaning: A collaborative effort (P); Rogers, S., Ryan, M., Slepoy, L.; 5:265

Resources and resource allocation
The Balanced Budget Act of 1997: How the prospective payment system affects providers of rehabilitation services (CI); Hartmann, J.; 5:263

Rheumatic diseases
Using nurse case management to promote self-efficacy in individuals with rheumatoid arthritis (CE); Barry, J., McQuade, C., Livingstone, T.; 6:300

Self-care issues
Cardiac rehabilitation referral and attendance: Not one and the same (CE); King, K.M., Teo, K.K.; 5:246
The effects of education alone and in combination with pulmonary rehabilitation on self-efficacy in patients with COPD (CE); Scherer, Y.K., Schmieder, L.E., Shimmel, S.; 2:71
The relationship between caregiver burden and self-care deficits in former rehabilitation patients (CE); Watson, R., Modeste, N.N., Catolico, O., Crouch, M.; 5:258
Relationships between adherence, sense of coherence, and knowledge in cardiac rehabilitation; Kamwendo, K., Hansson, M., Hjerpe, I.; 5:240
Using nurse case management to promote self-efficacy in individuals with rheumatoid arthritis (CE); Barry, J., McQuade, C., Livingstone, T.; 6:300

Sexuality
Perspectives of nurses and patients on the need for sexual counseling of MI patients (CE); Steinke, E.E., Patterson-Midgley, P.E.; 2:64

Skin care
Transition theory and its relevance to patients with chronic wounds; Neil, J.A., Barrell, L.M.; 6:295

Spinal cord injury (SCI) or illness
Growth and development in a rehabilitation setting (P); Ideen, C.; 4:213
Myelodysplasia in adult life: The value of an outreach nursing service; Goodger, J., Kulas, J., Carney, A., Dewan, P., Kosmala, E., Simpson, D.A.; 4:185
Silly songs (P); Hewat, S.; 2:97
Team-building interventions for interdisciplinary teams: A case study of a pediatric client (CE); Sandor, M.K., Copeland, D., Robinson, S.; 6:290
Treatment of spinal cord injury in Ireland (WV); Hearty, E.A.; 1:44

Stroke
A comparison of the characteristics of incontinent and continent stroke patients in a rehabilitation program; Gross, J.C., 3:132
Life after a stroke: Coping with change (CE); Sisson, R.A.; 4:198

Subacute care
The Balanced Budget Act of 1997: How the prospective payment system affects providers of rehabilitation services (CI); Hartmann, J.; 5:263
The Balanced Budget Act of 1997: Implications for rehabilitation nurses in skilled nursing facilities (CI); Duchene, P.A.; 4:210

Traumatic brain injury (*see* Brain injury/head injury)

Wellness issues
Effectiveness of a nurse-managed follow-up program for rehabilitation patients after discharge (CE); Rawl, S.M., Easton, K.L., Kwiatkowski, S., Zemen, D., Burczyk, B.; 4:204
The effects of education alone and in combination with pulmonary rehabilitation on self-efficacy in patients with COPD (CE); Scherer, Y.K., Schmieder, L.E., Shimmel, S.; 2:71
Myelodysplasia in adult life: The value of an outreach nursing service; Goodger, J., Kulas, J., Carney, A., Dewan, P., Kosmala, E., Simpson, D.A.; 4:185
Relationships between adherence, sense of coherence, and knowledge in cardiac rehabilitation; Kamwendo, K., Hansson, M., Hjerpe, I.; 5:240
Selection of an instrument to measure the physical activity of elderly people in rural areas; Allison, M.J., Keller, C., Hutchinson, P.L.; 6:309
Using nurse case management to promote self-efficacy in individuals with rheumatoid arthritis (CE); Barry, J., McQuade, C., Livingstone, T.; 6:300

Alphabetical Listing by Author

Åbjörnsson, G.; 1:38
Adelman, A.; 3:141
Allison, M.J.; 6:309
Anderson, C.; 6:305
Anderson, L.; 5:269
Anderson, S.G.; 3:159
Barrell, L.M.; 6:295
Barry, J.; 6:300
Burczyk, B.; 4:204
Carney, A.; 4:185
Catolico, O.; 5:258
Cogswell, D.; 2:95
Copeland, D.; 6:290
Craven, G.A.; 6:315
Crouch, M.; 5:258
Daly, M.P.; 1:21
Davis, D.M.; 1:8
Dewan, P.; 4:185
Dillon, D.L.; 1:30
Dorsay, J.P.; 6:305
Duchene, P.A.; 4:210
Easton, K.L.; 4:204
Feuer, T.E.; 1:46
Flanagan, N.A.; 5:234
Flannery, J.; 2:88
Fry, S.T.; 4:179
Frye, A.D.; 6:318
Galinsky, D.; 3:148
Gallagher, M.S.; 4:192
Gaynor, S.; 2:84
Goodger, J.; 4:185
Gross, J.C.; 3:132
Hagstadius, S.; 1:38
Hansson, M.; 5:240
Harmon, R.L.; 1:8
Hartmann, J.; 5:263
Haynes, K.; 2:78
Hearty, E.A.; 1:44
Hewat, S.; 2:97
Hjerpe, I.; 5:240
Hutchinson, P.L.; 6:309
Ideen, C.; 4:213
Jansen, D.A.; 1:12
Johnson, M.; 4:174
Jones, G.; 4:212
Kamwendo, K.; 5:240
Keller, C.; 6:309
Keller, M.L.; 1:12
Kelly, J.; 2:84
King, K.M.; 5:246
King, N.; 2:78
Kleinbeck, S.V.M.; 2:78
Kosmala, E.; 4:185
Kulas, J.; 4:185
Kwiatkowski, S.; 4:204
Livingstone, T.; 6:300
Maas, M.; 4:174
Magaziner, J.; 3:141
McQuade, C.; 6:300
Modeste, N.N.; 5:258
Mumma, C.; 3:157
Murdock, B.H.; 2:78
Navaroli, L.M.; 3:160
Neil, J.A.; 6:295
Nir, Z.; 3:148
O'Neill, C.M.; 6:286
Olson, R.S.; 3:126
Ørbæk, P.; 1:38
Ott, V.; 2:84
Patterson-Midgley, P.E.; 2:64
Patyk, M.; 2:84
Phillips, S.; 1:30
Pierce, L.L.; 3:120
Rapp, C.G.; 4:174
Rawl, S.M.; 4:204
Rebeck, S.L.; 2:78
Redman, B.K.; 4:179
Resnick, B.; 1:21, 3:141
Robinson, S.; 6:290
Roche, N.; 2:98
Rogers, S.; 5:265
Rosenthal, H.G.; 2:78
Ryan, M.; 5:265
Sandor, M.K.; 6:290
Scherb, C.A.; 4:174
Scherer, Y.K.; 2:71
Schmieder, L.E.; 2:71
Schuster, P.M.; 1:30
Schwirian, P.M.; 5:252
Sheehy, L.M.; 1:8
Shimmel, S.; 2:71
Simpson, D.A.; 4:185
Sisson, R.A.; 4:198
Slepoy, L.; 5:265
Smith, A.M.; 5:252
Smith, C.E.; 2:78
Steinke, E.E.; 2:64
Teo, K.K.; 5:246
Tomich, P.L.; 1:30
Vickers, L.F.; 6:286
Watson, R.; 5:258
Weeks, S.K.; 1:46
Werkowitch, M.; 2:78
White, M.J.; 3:126
Zemen, D.; 4:204
Zimmerman, S.I.; 3:141